Anaesthesia, 2001, **56**, pages iii–xviii

Contents – Volume 56

Number 1, January 2001

Editorial

1 Critical care outcomes *S. A. Ridley*

Main articles

4 The immunomodulatory effects of prolonged intravenous infusion of propofol versus midazolam in critically ill surgical patients *S. A. K. Helmy and R. J. Al-Attiyah*

9 Psychological problems following ICU treatment *P. Scragg, A. Jones and N. Fauvel*

15 The effects of ropivacaine hydrochloride on platelet function: an assessment using the platelet function analyser (PFA-100) *J. M. Porter, B. Crowe, M. Cahill and G. D. Shorten*

19 Effect of smoking on induction of anaesthesia with sevoflurane *C. Mendonca and C. M. Thorpe*

Review article

24 Jugular bulb oximetry during cardiac surgery *M. Shaaban Ali, M. Harmer and I. P. Llatto*

Apparatus

38 Leakage of fluid around high-volume, low-pressure cuffs. A comparison of four tracheal tubes *T. Asai and K. Shingu*

Case report

43 Phaeochromocytoma: an unusual cause of hypertension in pregnancy *A. S. Bullough, S. Karadia and M. Watters*

Forum

47 Accuracy and reliability of Apache II scoring in two intensive care units. Problems and pitfalls in the use of APACHE II and suggestions for improvement *K. H. Polderman, A. R. J. Girbes, L. G. Thijs and R. J. M. Strack van Schijndel*

50 Working patterns of trainee anaesthetists in the UK: results of a national postal survey *A. McGill, S. P. Hutchinson, J. C. Andrzejowski and G. A. Francis*

54 High-dose intrathecal diamorphine after Caesarean section *R. G. W. Stacey, R. Jones, G. Kar and A. Poon*

60 Randomised double-blind comparison of ondansetron and droperidol to prevent postoperative nausea and vomiting associated with patient-controlled analgesia *J. Millo, M. Siddons, R. J. Innes and P. S. Laurie*

65 Patient-controlled analgesia and intra-operative suggestion *P. R. Dawson, C. Van Hamel, D. Wilkinson, P. Warwick and M. O'Connor*

70 Survey of 1057 patients receiving postoperative patient-controlled epidural analgesia *J. Wigfull and E. Welchew*

75 Postoperative pain relief using thoracic epidural analgesia: outstanding success and disappointing failures *G. A. McLeod, H. T. O. Davies, N. Munnoch, J. Bannister and W. Macrae*

Correspondence

82 Anaesthesia without induction rooms *J. W. Broadway, M. G. Smith and T. J. Archer*

83 Paediatric intensive care transfers *P. J. Murphy, I. Jenkins, J. Fraser and S. Marriage*
R. Griffiths and H. Smith

84 I want to be an anaesthetist *G. Baigel*

84 Pre-anaesthesia assessment clinics *P. Stephens*

85 Anaesthesia clinics: the Canadian experience *P. R. Knight, A. Choyce and C. J. L. McCartney*

85 Brainstem death and ventilator trigger settings *H.-P. Ng and K. Tan*

86 The Do Not Resuscitate order *S. Carroll*

86 A cautionary tale for percutaneous tracheostomy *N. Robin and J. McCann*

87 Risk of infection from laryngeal mask airways *M. Lynch*

87 Sterilisation of laryngoscopes *M. S. Ballin and A. McCluskey*

88 Mechanical failure of the McCoy laryngoscope during a difficult intubation *J. A. Leary*
A. Parsons

89 Capnography and errors with gas sampling *J. L. Benumof*

90 The two different-sized fibreoptic bronchoscope method in the management of a difficult paediatric airway *W. K. Park, S. H. Kim and H. Choi*

91 Cremasteric reflex is not a useful indicator of spinal anaesthesia in anaesthetised children *Y. Okuda, M. Mishio, T. Kitajima and T. Asai*

91 Viagra: are anaesthetists rising to the challenge? *B. Carvalho and M. Smith*

93 Spontanteous cervical and mediastinal emphysema following childbirth *A. Dhrampal and J. G. Jenkins*

94 Unplanned administration of atropine, suxamethonium and lidocaine *E. I. Khan and G. A. Hamdani*

94 Reinforced epidural catheters *M. Goyal*

95 Spinal needle introducer hub detachment *R. P. R. Smith W. Waskonig*

96 False negative CVP with a normal waveform *S. Kannan and A. Sutcliffe*

97 Lip balm: a novel way to 'flavour' facemasks for inhalational induction *R. Walpole, F. Barbour and L. M. Aldridge*

Number 2, February 2001

Editorial

99 The case report – an endangered species? *R. A. Mason*

© 2001 Blackwell Science Ltd

Main articles

103 The effect of moderate hypovolaemia on microcirculation in healthy older blood donors *K. Janetzko, H. Kluter, H. Kirchner and K.-F. Klotz*

108 Effect on midazolam pretreatment on induction dose requirements of propofol in combination with fentanyl in younger and older adults *D. M. Cressey, P. Claydon, N. C. Bhaskaran and C. S. Reilly*

114 Sevoflurane – nitrous oxide anaesthesia supplemented with remifentanil: effect on recovery and cognitive function *D. S. Breslin, J. E. Reid, R. K. Mirakhur, A. H. Hayes and M. E. McBrien*

120 Wound botulism in drug addicts in the United Kingdom *L. Mulleague, S. M. Bonner, A. Samuel, P. Nichols, M. Khan, S. Shaw and T. Gruning*

124 Renal and respiratory failure in Scottish ICUs *J. S. Noble, F. N. MacKirdy, S. I. Donaldson and J. C. Howie*

Historical note

130 The haemodynamics of human septic shock *I. M. J. Mackenzie*

Review article

145 Fat embolism *A. Mellor and N. Soni*

Apparatus

155 An assessment of a method of inflating cuffs with a nitrous oxide gas mixture to prevent an increase in intracuff pressure in five different tracheal tube designs *F. Karasawa, M. Tokunaga, Y. Aramaki, M. Shizukuishi and T. Satoh*

160 Clinical evaluation of the Mapleson theoretical ideal fresh gas flow sequence at the start of low-flow anaesthesia with isoflurane, sevoflurane and desflurane *P. C. Ip-Yam, M. H. Goh, Y. H. Chan and C. F. Kong*

Case reports

165 The use of a vertical infraclavicular brachial plexus block in a patient with myasthenia gravis: effects on lung function *A. Sinha, K. Ahmad and W. Harrop-Griffiths*

168 Fatal subdural haemorrhage following lumbar spinal drainage during repair of thoraco-abdominal aneurysm *F. E. McHardy, P. J. M. Bayly and M. G Wyatt*

Forum

171 Desflurane or sevoflurane for gynaecological day-case anaesthesia with spontaneous respiration? *N. A. Mahmoud, D. J. A. Rose and A. S. Laurence*

174 Buscopan for the treatment of pain after laparoscopic sterilisation *A. Habib, P. Sharpe, S. Anderson, S. Francis, A. C. Davidson and G. Smith*

177 A prospective study of intra-operative critical incidents in a teaching hospital in a developing country *F. A. Khan and M. Q. Hoda*

Correspondence

183 Radiation exposure of nurses on an intensive care unit *J. M. Cupitt, S. Vinayagam and I. McConachie*

183 Saturation during upper GI endoscopy *N. G. Lavies*

184 Pulse oximetry – to bleep or not to bleep? *A. Badrakumar, D. R. Ball, P. Jefferson and G. Lindhoff*

184 Tec 6 vaporiser *D. J. Connor*

185 Bad connection *R. R. Bajekal and M. Kendra*

186 The Flexiblade *C. Frerk K. Gupta and T. Cook C. Perera, R. S. Vaughan and P. C. Wiener*

187 Use of the laryngeal mask is contraindicated during cholecystectomy *T. Asai L. Georgiou*

188 A blocked catheter mount *R. Thomas S. Finch*

189 The Intavent tracheal tube in nasotracheal fibreoptic intubation *K. F. Barker, P. Bolton, S. Cole and P. A. Coe*

190 A new incident with the laryngeal mask airway *G. M. Tan and K. F. Koh C. Price*

190 Subcutaneous emphysema caused by a fenestrated tracheostomy tube *M. J. Mostert and H. Stuart S. M. Ogilvie*

191 Optimum length of needles for internal jugular vein cannulation *J. Janes and I. P. Latto*

192 Catheter fixation problems – attention to detail required *J. P. Wood*

193 Guillan–Barré syndrome may be associated with HIV infection *A. G. McKenzie H. Brooks, A. S. Christian and A. E. May*

194 Mendelson's syndrome *L. W. Hall*

194 Patient-controlled oramorph – the future? *H. Antrobus*

195 Drug patient information leaflets *A. J. Brookes*

195 Amount of elemental calcium in calcium solutions *A. J. Jeffreys I. M. Aguilera and R. S. Vaughan*

195 Confusing drug concentrations *S. J. Jones and A. M. Cohen*

196 Peripheral nerve injuries associated with anaesthesia *F. Reynolds*

196 Detecting the epidural space *S. S. Kale and S. A. Oosthuysen*

197 Supraclavicular block for day-case anaesthesia at altitude *D. Harmon and H. P. Frizelle R. Pande, M. Pande, U. Bhadani, C. K. Pandey and A. Bhattacharya*

Number 3, March 2001

Editorial

199 Appraisal and revalidation need sensitive handling *K. R. Myerson*

Main articles

202 The effect of nitrous oxide on the inhibition of somatosensory evoked potentials by sevoflurane in children *V. Viera da Costa, R. A. Saraiva, A. Cardozo de Almeida, M. R. Rodrigues, L. G. N. Nunes and J. C. D. Ferreira*

© 2001 Blackwell Science Ltd

208 Variations in expenditure between adult general intensive care units *D. L. Edbrooke, S. A. Ridley, C. L. Hibbert and M. Corcoran*
217 Intra-operative blood salvage in abdominal trauma. A review of 5 years' experience *L. Gwynne-Hughes, D. W. Thomas, K. Wareham, J. E. Jones, A. John and M. Rees*
221 Tracheal intubation and cervical spine excursion: direct laryngoscopy vs. intubating laryngeal mask *B. Waltl, M. Melischek, C. Schuschnig, B. Kabon, W. Erlacher, C. Nasel, M. Fuchs and S. Kapral*

Historical note
227 Snow, Emerson and the Barkers of Bath *D. Zuck*

Apparatus
231 Retention of airborne latex particles by a bacterial and viral filter used in anaesthesia *J. Barbara, M. H. Chabane, F. Leynadier and F. Girard*

Case reports
235 Non-invasive ventilation in the treatment of ventilatory failure following corrective spinal surgery *M. J. Doherty, P. A. Millner, M. Latham, R. A. Dickson and M. W. Elliot*
238 Damage to the conus medullaris following spinal anaesthesia *F. Reynolds*

Forum
248 Reversing sevoflurane-associated Q–Tc prolongation by changing to propofol *A. Kleinsasser, A. Loeckinger, K. H. Lindner, C. Keller, M. Boehler and F. Puehringer*
251 Induction with propofol target-concentration infusion vs. 8% sevoflurane inhalation and alfentanil in hypertensive patients *N. Nathan, G. Vial, M. Benrhaiem, A. Peyclit and P. Feiss*
258 Identifying the more patent nostril before nasotracheal intubation *J. E. Smith and A. P. Reid*
262 Hip flexion and lumbar puncture: a radiological study *A. Fisher, L. Lupu, B. Gurevitz, S. Brill, E. Margolin and Y. Hertzanu*
267 Cardiovascular effects of intravenous propofol administered at two infusion rates: a transthoracic echocardiographic study *F. Bilotta, L. Fiorani, I. La Rosa, F. Spinelli and G. Rosa*

Correspondence
272 The role of the anaesthetist: replacement brain *A. Vohra*
273 Anaesthesia, what's in a name? *W. Notcutt*
274 Complete power failure *J. Mitchell W. J. Fawcett, H. Blowers and G. Wilson*
274 The Combitube should be redesigned for anaesthetic use *R. M. Urtubia and J. Medina*
275 Supplementary oxygenation with the laryngeal mask airway *R. M. L'E. Orme and M. Williams W. A. Marchant and I. Calder*
276 The self-regulating bag *N. Smith*
277 Herniation of tracheal tube cuffs: a simple teaching model *D. Wright and M. Baruch*
278 A new device to facilitate awake oral fibreoptic intubation *J. Otero-Carrasco, K. Moaz and M. T. Popat*
279 Transparent obstruction of RAE tube *R. Tackley*
282 Administering ambient pressure oxygenation to the non-ventilated lung during thoracoscopic surgery *J. Pfitzner, M. J. Peacock and B. W. Daniels*
283 Light wand guided tracheal intubation through the intubating laryngeal mask *V. Dimitriou and G. S. Voyagis S. Kihara, S. Watanabe and J. Brimacombe*
284 Full circle *I. G. Francis*
284 Anterior deviation of the trachea *I. J. Crabbe*
286 Mishaps with a central venous cannula in the ICU *M. Williams and B. Siggers*
288 Aortic cross-clamping in sickle cell disease *W. A. Marchant and S. Wright*
288 Close loop anaesthesia using bispectral index *C. Stonell A. P. Morley*
289 Are peri-operative peripheral nerve lesions preventable? *G. B. Drummond R. J. Sawyer, M. N. Richmond, J. Jarratt and J. Hickey*
290 Peripheral nerve injuries *P. J. Hilton*
291 Spinal cord damage *H. Parry*
291 Epidural failures and trainees' performance *P. Dill-Russell and R. G. W. Stacey*
292 Should epidurals be avoided in acupunctured patients? *K. Koga, A. Shigematsu, T. Noguchi and Y. Shiga*
293 Total upper eyelid drop as an endpoint marker of peribulbar anaesthesia *S. Verma M. W. O. Frow*
295 Anaesthetic menu: a step too far? *S. Dhileepan and A. Patel C. C. Wood and V. Raghavan*
296 Physical incompatibility between atracurium and intravenous diclofenac *G. Ackland*
296 Incidence of anaphylaxis under anaesthesia *R. M. Foxall*
297 How should we manage the electronically tagged patient? *J. Tye*
297 An unusual method of diagnosing postoperative sore throat *M. Sanders*

299 **Book reviews**

Number 4, April 2001

Editorial
299 Continuous regional analgesia: can we afford not to use it? *W. Harrop-Griffiths and J. Picard*

Main articles
302 Comparison of sevoflurane–nitrous oxide anaesthesia with the conventional intravenous–inhalational technique using bispectral index monitoring *M. K. Shah, H. M. Tan and K. Wong*
309 Xenon expenditure and nitrogen accumulation in closed-circuit anaesthesia *H. Reinelt, T. Marx, U. Schirmer and M. Schmidt*
312 Postoperative residual block after intermediate-acting neuromuscular blocking drugs *A. H. Hayes, R. K. Mirakhur, D. S. Breslin, J. E. Reid and K. C. McCourt*

© 2001 Blackwell Science Ltd

319 Comparison of the effects of intravenous alfentanil and esmolol on the cardiovascular response to double-lumen endobronchial intubation *A. Maguire, J. P. Thompson, C. Guest, P. J. Sadler, J. W. Strupish and K. J. West*
326 Indices of nitric oxide synthesis and outcome in critically ill patients *I. M. Mackenzie, C. S. Garrard and J. D. Young*

Review article
331 Levobupivacaine *G. A. McLeod and D. Burke*

Apparatus
342 Evaluation of the disposable Vital View™ laryngoscope *T. Asai, Y. Uchiyama, K. Yamamoto, S. Johmura and K. Shingu*

Case report
346 A case of extensive block with the combined spinal–epidural technique during labour *I. C. Shaw and R. J. S. Birks*

Forum
350 Management of comatose head-injured patients: are we getting any better? *I. A. Wilkins, D. K. Menon and B. F. Matta*
352 Incidence of diaphragmatic paralysis following supraclavicular brachial plexus block and its effect on pulmonary function *P. H. K. Mak, M. G. Irwin, C. G. C. Ooi and B. F. M. Chow*
357 A comparison of the intubating and standard laryngeal mask airways for airway management by inexperienced personnel *A. Choyce, M. S. Avidan, A. Shariff, M. Del Aguila, J. J. Radcliffe and T. Chan*
360 Effect of halothane on the cerebral circulation in young children: a hysteresis phenomenon *O. Paut and B. Bissonnette*
365 Patient-controlled analgesia and postoperative nausea and vomiting: efficacy of a continuous infusion of ondansetron *L. A. White, M. Vanarese, K. Brockbank and R. F. Barrett*

Obituary
370 Gordon Jackson Rees FRCA FRCP FRCPCH, Pioneer of Paediatric Anaesthesia *G. H. Bush*

Correspondence
372 Opportunity knocks? – I think not *P. J. Hilton*
372 Problems with shared offices *D. V. A. Kalmanovitch*
372 Pre-operative assessment clinics – the last word *M. Millar*
373 So unlikely, yet so terrifying *A. Badacsonyi*
374 Pre-registration house officers in anaesthesia *A. C. Mayell*
374 Inadequate pre-operative evaluation and preparation *R. Pearse*
D. Raw, S. V. Nagaraj and G. S. Thind
375 Dentist anaesthetists *P. Sykes*
376 'All his anxiety resolved itself into a sigh and dissolved into apathy and drowsiness.' – Ivan Goncharov, Russian novelist, Obolomov (1859) *D. J. Dalgleish*
377 Carbon dioxide during and after the apnoea test – an illustration of the Haldane effect *C. D. Rigg and S. Cruickshank*
377 Reducing unnecessary blood cross-matching *B. A. McCormick, J. Brown, R. Davies and D. J. Sanders*
378 Universal precautions at cardiac arrests *S. M. Edwards, J. C. Williams and R. A. McCahon*
379 The fresh-gas flow sequence at the start of low-flow anaesthesia *D. P. Sobreira, M. M. Jreige and R. A. Saraiva*
380 Rate of change in gas concentrations in a charged circle system with absorber *I. Sobolev and W. F. S. Sellers*
381 Training in difficult airway management *H. L. Smith*
382 A complication of panendoscopy *J. Olday*
382 A new device has to be safe and reliable too *N. G. Mandal*
T. Asai
383 A missing throat pack *E. W. H. To, W. M. Tsang, F. Yiu and M. Chan*
384 Oxygenation during percutaneous tracheostomy *D. Mitra and D. Ure*
384 Improving success with the intubating laryngeal mask airway *A. I. J. Brain*
385 Airway management/failed intubation drill *G. S. Thind and S. V. Nagaraja*
385 Placement of nasogastric tubes *C. A. Woodcock and R. Alexander*
385 Cocaine-excited delirium and severe acidosis *S. Allam and J. S. Noble*
386 Lingual thyroid – another potential airway threat *J. H. MacG. Palmer and D. R. Ball*
386 Torticollis following induction of anaesthesia *J. M. Cupitt and S. Omprakash*
387 Liver rupture after caridopulmonary resuscitation during peri-operative cardiac arrest *M. Gillies and I. Hogarth*
388 The use of sevoflurane in acute intermittent porphyria *P. R. Evans, S. Graham and C. M. Kumar*
389 Prediction of degree of hypomagnesaemia during general anaesthesia *S. Hedges, P. Jefferson and D. R. Ball*
R. Sasaki, K. Hirota and A. Masuda
390 A complication of non-invasive positive pressure ventilation *F. Rosemeier and J. H. Cook*
391 ECG dots and regional blocks *L. Webb, S. Trenfield and N. Hogg*
391 A faulty PCA device *M. A. Williams and K. Mackrodt*
392 Pressure for success *E. J. Hammond*
392 Ventilator failure due to non-ISO-standard components *D. J. Williams*
M. Kersley
393 Internal jugular cannulation doesn't have to be a pain in the neck *P. Waterhouse and S. Plastow*
393 Peri-operative peripheral nerve injury *M. N. Ogbue, P. Jefferson and D. R. Ball*
394 Pressure sores and epidurals – blame the sheets? *W. F. S. Sellers*
394 Logic in the safe practice of spinal anaesthesia *M. A. Turner*
N. Flatt
F. Reynolds
396 Prolonged epidural catheterisation – a multidisciplinary technique *J. H. Raphael, V. Knowles, J. L. Southall, C. Beddall and T. V. Gnanadurai*

© 2001 Blackwell Science Ltd

397 Neuroaxial block for von Willebrand's disease *S. Cohen and Y. Zada*
397 Identification of epidural space using air and normal saline *P. Goodyear*
398 Simultaneous infusions of parenteral opioids with epidural local anaesthetics *R. J. Cohen*
398 Should Mendelson's syndrome be renamed? *T. Asai and K. Shingu*
399 A disposable plastic sub-Tenon cannula *C. M. Kumar and C. Dodds*
400 Useful advice when using Trilene *A. Kitsberg*
400 Olanzapine overdose *G. K. Isbister, I. M. Whyte and A. J. Smith*
401 Trivial pursuit: which drug is in the syringe, nitroglycerine or epinephrine? *N. C. Hwang*
401 Sodium citrate bottles *P. Dill-Russell and S. Dhileepan*
402 A first left-handed intravenous cannula *M. A. Wooton*
402 An unusual ECG! *E. J. Hammond and A. M. Pickford*

Number 5, May 2001

Editorial

405 Postoperative instructions: good compliance but is the advice sound? *I. Smith*

Main articles

408 The effect of intravenous dexmedetomidine premedication on the dose requirement of propofol to induce loss of consciousness in patients receiving alfentanil *C. J. Peden, A. H. Cloote, N. Stratford and C. Prys-Roberts*
414 Pre-emptive analgesia with local anaesthetic for herniorrhaphy *P. Gill, S. Kiani, B. A. Victoria and R. Atcheson*
418 Epidural ropivacaine hydrochloride during labour: protein binding, placental transfer and neonatal outcome *J. M. Porter, N. Kelleher, R. Flynn and G. D. Shorten*
424 The use of spectral measures of heart rate variability may differentiate between male snorers and patients with sleep apnoea syndrome *W. Dworschak, J. T. Maurer, T. Haschemian, H.-J. Rapp and K. F. Waschke*

Apparatus

429 A new device to reduce the consumption of a halogenated anaesthetic agent *M. Enlund, L. Wiklund and H. Lambert*
433 Tracheal gas insufflation: performance of a novel phase-specific device. *J. Dingley, G. P. Findlay, B. A. Foëx, R. A. Little, R. King and M. N. Smithies*

Case reports

441 Airway fire due to diathermy during tracheostomy in an intensive care patient *S. A. Rogers, K. G. Mills and Z. Tufail*
444 Pulmonary oedema after ophthalmic regional anaesthesia in an unfasted patient undergoing elective surgery *I. Taylor and M. Watters*

Forum

447 The peri-operative complications of nasal intubation: a comparison of nostril side *T. R. Coe and M. Human*
450 Regional anaesthesia for limb surgery - before or after general anaesthesia. A survey of anaesthetists in the Oxford region *M. A. Kadry, S. V. Rutter and M. T. Popat*
454 Spinal endoscopy in chronic low back pain with radiculopathy. A prospective case series *J. Richardson, P. McGurgan, S. Cheema, R. Prasad and S. Gupta*
461 Intravesical pressure and the TUR syndrome *R. A. Gray, C. Lynch, M. Hehir and M. Worsley*
465 The use of central venous cannulae in neuroanaesthesia. A survey of current practice in the UK *S. J. Mills and A. A. Tomlinson*
470 Quantitative assessment of motor block in labouring women receiving epidural analgesia *A. C. Graham and J. H. McClure*
476 Sevoflurane inhalation conscious sedation for children having dental treatment *G. Y. G. Lahoud, P. A. Averley and M. R. Hanlon*
481 Compliance with postoperative instructions: a telephone survey of 750 day surgery patients *R. Correa, R. B. Menezes, J. Wong, S. Yogendran, K. Jenkins and F. Chung*

Correspondence

485 Prion-related diseases and anaesthesia *P. R. Lowe and T. Engelhardt*
485 Day case surgery in an isolated unit may require more stringent selection of cases *K. M. Ni and J. C. Watts*
486 Isolated systolic hypertension *I. Sobolev, W. F. Sellers and M. Dollman*
486 Anaesthesia for retinoblastoma screening – a dilemma *I. Herrema and M. Clarke*
487 Opportunity knocks *T. Sivagnanam*
487 Machine check OSCE – which guidelines are right? *S. A. Hellewell*
488 Recommendations for standards of monitoring during anaesthesia and recovery *J. Mitchell*
488 Checking anaesthetic apparatus re-visited *T. Palit and M.W. Butt*
488 Hidden connection *D. Creasey*
489 Monitoring problem due to faulty ECG lead *S. McKinlay and I. J. Broome*
E. Suhonen
490 Can intubate – can't ventilate *H. A. Brewster and J. S. Rutherford*
491 Retropharyngeal abscess, atlanto-axial subluxation, and syncope *R. Williamson*
492 Single-lung ventilation via a tracheostomy using a fibreoptically-directed 'steerable' endobronchial blocker *A. J. Matthews and D. J. Sanders*
493 Leakage of fluid around high-volume, low-pressure cuffs *P. Young*
493 An alternative position for the pulse oximeter probe *S. Gosney and P. E. Shannon*
493 Apoptosis – many admire, few know *R. Taneja P. C. A. Kam and N. I. Ferch*
494 Precipitation in Manchester: ketorolac/cyclizine *R. P. R. Smith and M. Jones*

© 2001 Blackwell Science Ltd

495 EMLA – is one hour long enough? *N. J. Morgan-Hughes and C. B. Kirton*
496 Safety and peri-operative medical care *C. S. Webster, D. Anderson and S. Murtagh*
497 Unrecognised fatal anaphylactic reaction to propofol or fentanyl *W. Konarzewski and S. De'Ath*
499 Spinal opiates and pruritis *F. Asato M. K. Shah*
499 The fallibility of pain scores *P. Cox*
500 The combined spinal-epidural technique for the provision of analgesia in obstetric anaesthesia *M. Williams*
500 Postpartum femoral neuropathy *S. Cohen and Y. Zada*
501 Single injection peribulbar anaesthesia: total upper eyelid drop as an endpoint marker *U. Parekh, P. Ashwin and G. Thind*

Book review
503 Fibreoptic Intubation *M. Stacey*

Number 6, June 2001

Editorial
505 Isolated systolic hypertension: pressure on the anaesthetist *C. Prys-Roberts*

Main articles
511 The effects of rigid collar placement on intracranial and cerebral perfusion pressures *K. Hunt, S. Hallworth and M. Smith*
514 Effects of shivering prevention on haemodynamic and metabolic demands in hypothermic postoperative neurosurgical patients *F. Bilotta, P. Pietropaoli, I. La Rosa, F. Spinelli and G. Rosa*
520 Analgesic efficacy and safety of nefopram vs. propacetamol following hepatic resection *O. Mimoz, P. Incagnoli, C. Josse, M-C. Gillon, L. Kuhlman, A. Mirand, H. Soilleux and D. Fletcher*
526 Minimum local analgesic dose of plain ropivacaine vs. ropivacaine combined with sufetanil during epidural analgesia for labour *S. Palm, W. Gertzen, T. Ledowski, M. Gleim and H. Wulf*
530 Quantitative physical chemistry analysis of acid–base disorders in critically ill patients *D. A. Story, S. Poustie and R. Bellomo*

Review article
534 The arterial tourniquet: pathophysiological consequences and anaesthetic implications *P. C. A. Kam, R. Kavanaugh and F. F. Y. Yoong*

Apparatus
546 The in vitro performance of carbon dioxide absorbents with and without strong alkali *A. Bedi, A. C. Gallagher, J. P. H. Fee and J. M. Murray*
551 Extracting arterial flow waveforms from pulse oximeter waveforms *L. B. Cook*
556 Arterial flow waveforms from pulse oximetry compared with measured Doppler flow waveforms *N. A. Wisely and L. B. Cook*

Case reports
562 Neuromuscular monitoring in myasthenic syndrome *H. Itoh, K. Shibata and S. Nitta*
565 Epidural anaesthesia for Caesarean section in a patient with Devic's Syndrome *B. Gunyadin, D. Akcali and M. Alkan*

Forum
568 Arterial blood sampling practices in intensive care units in England and Wales *D. O'Hare and R. J. Chilvers*
571 Pathological evaluation of venous emboli during total hip arthroplasty *M. Hayakawa, Y. Fujioka, Y. Morimoto, A. Okamura and O. Kemmotsu*
576 The effects of remifentanil on haemodynamic stability during rigid bronchoscopy *N. Prakash, T. Mcleod and F. G. Smith*
580 Royal College of Anaesthetists Tutors. A survey of their duties and resources *V. J. Webster and I. Barker*

Correspondence
585 New variant Creutzfeldt–Jakob Disease – is our practice safe? *F. Arnstein*
585 The case report is not dead *K. Chidley and J. Dunnett*
585 The case report – an endangered species *A. May, S. Yentis and D. Doh*
586 Luer-lock epidural connections *C. Lanigan*
586 ASA classification of patient for organ donation *J. Stone*
587 Undergraduate teaching; a missed opportunity? *I. G. Johnston*
587 The anaesthetic logbook *E. Hammond and A. McIndoe M. Nixon*
589 Anaesthesia without induction rooms *K. J. Anderson*
589 Secondary transfer of intensive care patients by helicopter *J. C. Watts*
591 Pre-operative visits by anaesthetists *B. Simini*
591 Continuous patient monitoring *C. A. Jenner and J. A. Wilson R. Birks*
592 Another case of electromagnetic interference in the operating theatre *L. Athanassiou*
593 Relief of tension subcutaneous emphysema with a small-bore subcutaneous drain *M. J. C. Thomas and R. Mal*
594 Capnography can aid in diagnosis of tracheobronchial injury *P. S. Kakodkar and N. H. Kay*
595 Prone pulmonary artery catheter insertion aided by ultrasound *F. A. Barron and J. S. Rutherford*
595 Midazolam pre-induction can save money *A. McCluskey and M. S. Abdul-Latif*
596 Serial failure of Diprifuser infusion pumps *S. Laurent, R. Fry and C. Nixon M. Stewart*
597 More hidden leaks *E. C. Russell and D. R. Derbyshire B. Quick and J. Basford*
598 Any which way but loose? – the significance of gas flow direction through a vaporiser *S. Yee and S. Old R. Cooke*

© 2001 Blackwell Science Ltd

601 'Puffer-PCA device' for rheumatoid arthritis patients *N. Murray, V. Clark, C. Ellis and M. Michie M. Stewart*
602 Bad connection – a missing dimension *P. Bickford-Smith*
602 Lumbar spondylodiscitis after epidural anaesthesia at a distant site *N. Halkic, C. Blanc, M-E. Corthesy and J-M. Corpataux*
603 Informed consent, and fainting fathers *N. I. Gbinigie, M. L. Alderson and P. M. Barclay*
604 Dislodgement of epidural catheters in labour *C. B. Collier and S. P. Gatt L. E. S. Carrie and R. Russell*
605 Failed epidural in an obese patient – blame it on Pythagoras! *C. Wasson*
606 Advantages and disadvantages of the Arrow Flex Tip Plus epidural catheter *T. Asai and K. Shingu*
606 A new interest in an old remedy for headache and backache for our obstetric patients: a sphenopalatine ganglion block *S. Cohen, S. Trnovski and Y. Zada*
607 High-dose intrathecal diamorphine for analgesia after Caesarean section *M. Dresner R. G. W. Stacey*
608 An audit of the pain management work done by anaesthetists during on-call time in a teaching hospital *M. A. Duncan and R. Victory*
608 Anaesthesia in an unusual location *T. Meek*
609 Yet more ampoule spikes *I. Smith*
609 Erratum

Number 7, July 2001

Editorial
611 When is a standard not a standard? When it is a recommendation *M. Harmer*

Main articles
613 Redistribution of halothane and sevoflurane under simulated conditions of acute airway obstruction *Y. Girgis, C. Frerk and D. Pigott*
616 Combined pre-incisional oral dextromethorphan and epidural lidocaine for postoperative pain reduction and morphine sparing: a randomised double-blind study on day surgery patients *A. A. Weinbroum, G. Lalayev, T. Yashar, R. Ben-Abraham, D. Niv and R. Flaishon*
623 Transoesophageal acoustic quantification for evaluation of cardiac function during laparoscopic surgery *M. G. Irwin and J. K. F. Ng*
630 Peri-operative silent myocardial ischaemia and long-term adverse outcomes in non-cardiac surgical patients *H. Higham, J. W. Sear, F. Neill, Y. M. Sear and P. Foëx*
638 Fasting regimens for regional ophthalmic anaesthesia. A survey of members of the British Ophthalmic Anaesthesia Society *C. Steeds and S. J. Mather*
643 Descriptive patient data as an explanation for the variation in average daily costs in intensive care *P. Jacobs, D. Edbrooke, C. Hibbert, K. Fassbender and M. Corcoran*

Review article
648 Status epilepticus *M. G. Chapman, M. Smith and N. P. Hirsch*

Apparatus
660 An evaluation of the Airway Management Device *T. M. Cook, K. Gupta, D. A. Gabbott and J. P. Nolan*

Case reports
665 Anaesthetic management of 27 cases of boron neutron capture therapy for glioblastoma *T. Shinomura, H. Furutani, M. Osawa, K. Ono and K. Fukuda*
667 Coronary bypass graft surgery in a patient with haemoglobin SC disease *W. A. Marchant, S. Wright and J. B. Porter*

Forum
670 A pilot study to investigate the effects of an infusion of aminophylline on renal function following major abdominal surgery *M. R. J. Parker and S. M. Willatts*
676 Effects of surgical stress and nitrous oxide anaesthesia on peri-operative plasma levels of total homocysteine. A randomised, controlled study in general surgery *D. Foschi, A. Rizzi, M. L. Zighetti, M. Bissi, F. Corsi, E. Trabucchi, M. Mezzetti and M. Cattaneo*
680 Effectiveness of continuous positive airway pressure to enhance pre-oxygenation in morbidly obese women *D. M. Cressey, M. C. Berthoud and C. S. Reilly*
684 Organisational features in urgent and emergency surgery: a potential peri-operative risk factor *R. M. Pearse, E. C. Dana, C. J. Lanigan and J. A. R. Pook*

Correspondence
690 Anaesthetic equipment: disposal or decontamination? *A. Badrakumar, P. Jefferson and D. R. Ball*
690 The value of case reports *O. Dearlove and R. Vashist*
691 In favour of retaining anaesthetic induction rooms *G. A. Newport*
692 Efficiency in intensive care – we must get it right *R. Taneja*
692 Fat embolism *C. Prys-Roberts*
693 The airway and the anaesthetist *D. R. Ball and P. Jefferson*
694 Severe hypokalaemia causing acute respiratory failure *R. G. Davies and L. Gemmell*
695 Nasogastric-tube-induced unilateral vocal cord palsy *E. W. H. To, W. M. Tsang, P. C. W. Pang, J. H. H. Cheng and E. C. H. Lai*
696 A manoeuvre for using the flexible fibreoptic bronchoscope through the intubating Laryngeal Mask Airway *S. Panjwani, P. Seymour and J. J. Pandit*
697 Difficult airway – can intubate, can't ventilate *H. Scott and Z. Tiszai*
697 Challenges in paediatric mask holding; the 'claw hand' technique *S. Podder, A. Dutta, S. Yaddanapudi and P. Chari*
699 Flexiblade laryngoscope *D. Moynham*
699 Another faulty catheter mount: now you see it, now you don't *P. T. F. Newnam*
700 An unusual case of tracheal tube obstruction *R. Menon*
701 Complete power failure *J. M. Chapman W. J. Fawcett*

© 2001 Blackwell Science Ltd

702 A repainted nitrous oxide cylinder? *S. E. Milne*
702 Jugular bulb oximetry *R. P. Alston M. S. Ali, M. Harmer and I. P. Latto*
703 Vagal nerve stimulators and anaesthesia *G. Tovey and R. Griffiths*
704 How invasive should one go? *M. T. Chikungwa*
705 Preventing latex sensitisation and foreign body micro-emboli *M. Nyabadza*
705 Nitrous oxide *J. A. Carter and P. McAteer*
706 Postoperative pain relief using thoracic epidural analgesia *V. Bulso and S. Russell*
706 Phaeochromocytoma: an unusual cause of hypertension in pregnancy *B. M. Biccard*
707 Spinal anaesthesia and conus damage *M. Dressner, T. Riad and M. Keep F. Reynolds*
708 A simple technique to reduce the incidence of accidental dural puncture *S. Cohen, P. Maestrado and Y. Zada*
708 What's the point? *S. Lewis, F. Donald and P. Ford*
709 Effect of ropivacaine on platelet function *J. Davies and R. Fernando J. M. Porter and G. D. Shorten*
710 Diclofenac suppositories – potential for drug error? *L. Barker and D. Sanders*
711 Pre-filled drugs for obstetric theatre *A. T. A. Rayen and R. Rasanayagam*
712 Pre-filled ephedrine syringes *M. A. Wikner and S. Q. M. Tighe*
712 Which side? *W. O. Roberts A. Sinha and W. Harrop-Griffiths*

714 **Book reviews**

Number 8, August 2001

Editorial

717 Resuscitating audit *P. J. M. Bayly*

Main articles

720 Risk factors for postoperative anxiety in adults *W. Caumo, A. P. Schmidt, C. N. Schneider, J. Bergmann, C. W. Iwamoto, L. C. Adamatti, D. Bandeira and M. B. C. Ferreira*
729 Matrix metalloproteinase-9 concentrations in critically ill patients *K. A. Yassen, H. F. Galley and N. R. Webster*
733 Hypertension as a risk factor for cerebral injury during cardiopulmonary bypass. Protein S100B and transcranial Doppler findings *M. Schmidt, T. Scheunert, G. Steinbach, U. Schirmer, T. Marx, N. Freitag and H. Reinelt*
739 A mixture of alfentanil and morphine for rapid postoperative loading with opioid: theoretical basis and initial clinical investigation *G. L. Ludbrook, P. E. Macintyre, H. Douglas, L. Ong and R. N. Upton*

Review article

745 Risk perception and communication: recent developments and implications for anaesthesia *A. M. Adams and A. F. Smith*

Apparatus

756 A comparison of two techniques for manual ventilation of the lungs by non-anaesthetists: the bag-valve–facemask and the cuffed oropharyngeal airway (COPA) *T. J. Clayton, J. A. L. Pittman and D. A. Gabbott*
760 Point of care testing. Measurement of coagulation *J. Hirsch, T. Wendt, P. Kuhly and W. Schaffartzik*

Case reports

764 Undiagnosed adult diastematomyelia associated with neurological symptoms following spinal anaesthesia *M. Wenger, C. B. Hauswirth and R. P. Brodhage*
768 Kinin-mediated anaphylactoid reaction implicated in acute intra-operative pulseless electrical activity *S. O'Sullivan, J. P. McElwain and T. S. Hogan*
771 Adverse reactions to colloids *P. W. Ewan*
772 False-positive epidural catheter aspiration tests in needle through needle combined spinal–epidural anaesthesia *R. Isaac, A. J. Coe and V. P. L. Hornsby*

Forum

777 Anaesthesia for insertion of bone anchored hearing aids in children: a 7-year audit *S. E. F. Jones, U. Dickson and A. Moriarty*
780 Prophylaxis against thromboembolism in patients with traumatic brain injury: a survey of UK practice *J. M. Cupitt*
786 A pharmacokinetic model for factor VIII dosing during active haemorrhage in patients with haemophilia A *A. M.-H. Ho, P. Dion, M. K. Karmakar, G. Cheng, J. L. Derrick, D. C. Chung and B. A. Tay*
790 Extension of epidural blockade in labour for emergency Caesarean section using 2% lidocaine with epinephrine and fentanyl, with or without alkalinisation *D. T. C. Lam, W. D. Ngan Kee and K. S. Shaw*
794 Prevention and management of hypotension during spinal anaesthesia for elective Caesarean section: a survey of practice *S. M. Burns , C. M. Cowan and R. G. Wilkes*

Correspondence

799 Teaching methods *J. C. Sanders*
799 Anaesthesia and hair fashion *K. M. Kuczkowski and J. L. Benumof*
800 Use of the laryngeal mask is not contraindicated for laparoscopic cholecystectomy *J. R. Maltby, M. T. Beriault and N. C. Watson T. Asai*
802 Malignant hyperpyrexia and the laryngeal mask airway *C. M. Danbury and K. Torlot*
802 Why KY? *A. Badrakumar*
803 Another problem with reusable tubes *K. C. Hames and R. Fernssde B. H. Goodman*
804 Reliability of Mallampati classification in upper airway pathology *M. V. Krishnak J. Otero-Carrasco and M. T. Popat*
804 A sticky edge *G. Hilditch, J. Crauford and D. McLaughlin*

© 2001 Blackwell Science Ltd

805 Hypothermia and rapid, cold, peritoneal crystalloid infusion *T. J. Papadimos and E. Fowler*
806 Pulse oximeter aided diagnosis of fluid extravasation *S. Kannan*
807 Pulse oximetry from a haemofiltration line *N. Sharma and W. F. S. Sellers*
807 Acute epiglottitis, sevoflurane and HIB vaccination *I. Sobolev, N. Plunkett and I. Barker*
808 Anaesthesia in pyruvate dehydrogenase deficiency *D. Acharya and O. R. Dearlove*
809 Sotos' syndrome ... a rare challenge? *A. Varvinski, F. J. McGill, V. Judd and I. Hodzovic*
809 Misplaced central venous catheter *J. Kenningham, O. Dearlove and B. Wilson*
810 Operating theatre exsanguinators pose a low risk for transmission of infection *P. Chan, G. P. Ashcroft and K. A. W. Cranfield*
810 An unexpected and preventable cause of failed epidural analgesia *B. J. Prater and C. Timberlake*
811 Epidural haematoma and timing of heparin prophylaxis *V. Puck*
812 Damage to the conus medullaris following spinal anaesthesia *P. R. Bromage*
J-H. Bahk and K. Ho
B. S. Grewal and J. Tarpey
F. Reynolds
814 Pressure sores: blame the mobile epidural! *V. C. Linnett, F. McMenemie and J. Duggan*
815 Combined spinal–epidural as an alternative method of anaesthesia for a sigmoid colectomy *G. Morton and I. Bowler*
816 Predicting caudal epidural analgesia using nerve stimulation *B. C. H. Tsui*
817 Vertical infraclavicular block and myasthenia gravis *A. M. Troy and B. Kinirons*
W. Harrop-Griffiths, A. Sinha and K. Ahmad
818 Adrenaline 0.5%? *M. Keohane and S. R. Luney*
J. McKenna
818 Safety, cost and pre-drawn emergency drugs *C. S. Webster, A. F. Merry and C. M. Ducat*
820 Shocking postoperative visits *D. W. Wheeler*

Number 9, September 2001

Editorial
823 Safety matters *R. J. S. Birks*

Main articles
825 Airway obstruction with cricoid pressure and lateral tilt *G. Hocking, F. L. Roberts and M. E. Thew*
829 Exploration of xenon as a potential cardiostable sedative: a comparison with propofol after cardiac surgery. *J. Dingley, R. King, L. Hughes, C. Terblanche, S. Mahon, M. Hepp, A. Youhana and A. Watkins*
836 Effects of postoperative sedation with propofol and midazolam on pancreatic function assessed by pancreatitis-associated protein *S. N. Piper, B. Kumle, W. H. Maleck, S. W. Suttner, M. T. Fent and J. Boldt*
841 Intermediate outcome of medical patients after intensive care *M. Trivedi and S. A. Ridley*
847 Blood pressure measurement in volunteers with and without padding between the cuff and the skin *L. J. Archer and A. J. Smith*
850 Sequential organ scoring as a measure of effectiveness of care in the high-dependency unit *R. J. De Silva, A. Anderson, H. Tempest and S. Ridley*
855 Maternal anti-factor Xa activity following subcutaneous unfractionated heparin after Caesarean section *C. A. Stirrup, D. N. Lucas, M. L. Cox, M. Rucklidge, M. R. Nel, L. J. Acton, C. Costello and S. M. Yentis*

Apparatus
859 Evaluation of a new percutaneous dilatational tracheostomy set *M. S. Bewsher, A. M. Adams, C. W. M. Clarke, I. McConachie and D. R. Kelly*
865 The effect of the Lockit epidural catheter clamp on epidural migration: a controlled trial *M. X. Clark, K. O'Hare, J. Gorringe and T. Oh*

Case reports
871 Pyogenic cervical epidural abscess and discitis following stellate ganglion block *B. Vadodaria, J. Bridgens and M. Richmond*
873 A *Staphylococcus aureus* paraspinal abscess associated with epidural analgesia in labour *J. S. Hill, E. W. Hughes and P. A. Robertson*

Forum
879 Information and consent for anaesthesia: a postal survey of current practice in Great Britain *E. J. Watkins, L. J. Milligan and H. A. O'Beirne*
882 Medical repatriation via fixed-wing air ambulance: a review of patient characteristics and adverse events *A. T. Dewhurst, D. Farrar, C. Walker, P. Mason, P. Beven and J. C. Goldstone*
888 A study of bispectral analysis and auditory evoked potential indices during propofol-induced hypnosis in volunteers. The effect of an episode of wakefulness on explicit and implicit memory *G. Barr, R. E. Anderson and J. G. Jakobsson*
893 The effect of prophylactic metaraminol on systemic hypotension caused by induction of anaesthesia with propofol in patients over 55years old *C. L. Chiu, G. P. Tew and C. Y. Wang*
898 Facilitation of laryngeal mask airway insertion. Effects of remifentanil administered before induction with target-controlled propofol infusion *K. Grewal and G. Samsoon*
902 Effect of ondansetron pretreatment on pain after rocuronium and propofol injection: a randomised, double-blind controlled comparison with lidocaine *M. S. Reddy, F-G. Chen and H-P. Ng*

Correspondence
906 Patient consent for case reports *G. Hubregtse and S. J. Collins*
M. Harmer

© 2001 Blackwell Science Ltd

907 Do anaesthetists benefit from general medical experience? *A. P. McGlennan*
907 Helicopter transfer of the critically ill and required standards of training *P. J. Shirley and D. G. Pogson*
908 Transient fixation on a non-native language associated with anaesthesia *C. S. Webster*
909 Postoperative instructions *P. N. Young*
909 Myocardial infarction with creatine kinase genetic aberration *T. Nagai, M. Suzuki and T. Okazaki*
910 Patient compliance with pre-operative day case instructions *J. G. Laffey and J. F. Boylan*
910 'Teaching grandma to suck eggs' *A. Pittaway and P. Harvey*
911 The fresh-gas flow sequence at the start of low-flow anaesthesia *P. C. Ip-Yam*
911 Pressure exerted by the cuff of the laryngeal tube on the oropharynx *T. Asai and S. Kawachi*
912 Tonsillectomy – anaesthetic technique and the new disposable surgical equipment *F. Martin and A. Wilde*
913 Potential hazard with syringe infusion pump *S. Kannan*
914 Incorrect assembly of the flexiblade fibreoptic bundle *B. C. W. Law*
D. Moynham
915 The importance of a Murphy Eye *R. G. Davies*
915 Survey of cricoid pressure application by anaesthetists, operating department practitioners, intensive care and accident and emergency nurses *G. A. Matthews*
917 Misidentification, in-filling and confirmation bias *M. R. Nott*
917 Vascular access procedures for haemodialysis – potential hazard of regional anaesthesia *I. E. Leonard and V. Chinappa*
918 Maternal self-administration of oral analgesia after Caesarean section *S. Scott, S. Cameron and E. Richards*
919 Subcutaneous cyclizine *S. Varma, J. Deakin and P. J. Clayton*
920 Incompatibility of prochlorperizine and ketoprofen *S. Kannan*
920 Before or after general anaesthesia? *M. F. Mayall and I. Calder*
920 Fetal acidosis, spinal anaesthesia and phenylephrine *M. R. Carpenter and D. W. Cooper*
921 Combined spinal–epidurals and epidural top-ups *A. Pittaway and P. Harvey*
C. L. Edkins
F. Plaat and J. Robinson
R. J. S. Birks
923 The hazards of car cleaning and a novel approach to airway control *D. J. Penny*
923 PCEA or PACE *G. M. Krishna*
924 Wrong ECG leads *M. Doehn, C. Doehn and C. Doehn*

Number 10, October 2001

Editorial
925 The acute pain service: a model for outreach critical care *D. J. Counsell*

Main articles
927 Acupuncture versus ondansetron in the prevention of postoperative vomiting. A study of children undergoing dental surgery *M. Somri, S. J. Vaida, E. Sabo, G. Yassain, I. Gankin and L. A. Gaitini*
933 Speed of collapse of the non-ventilated lung during single-lung anaesthesia: the effects of the use of nitrous oxide in sheep *J. Pfitzner, M. J. Peacock and L. Pfitzner*
940 Speed of collapse of the non-ventilated lung during single-lung ventilation for thoracoscopic surgery: the effect of transient increases in pleural pressure on the venting of gas from the non-ventilated lung *J. Pfitzner, M. J. Peacock and R. J. D. Harris*
947 The influence of nitroglycerin and prostaglandin E1 on dynamic cerebral autoregulation in adult patients during propofol and fentanyl anaesthesia *H. Endoh, T. Honda, S. Ohashi, S. Hida, C. Shibue and N. Komura*
953 Fenoldopam: renal and splachnic effects in patients undergoing coronary artery bypass grafting *M. Halpenny, S. Lakshmi, A. O'Donnell, S. O'Callaghan-Enright and G. D. Shorten*
961 Bloodletting acupuncture for the prevention of stridor in children after tracheal extubation: a randomised, controlled study *M. Saghaei and S. Razavi*

Review article
965 Pharmaceutics from the anaesthetist *R. D. MacPherson*

Case report
980 Compartment syndrome associated with the Lloyd Davies position. Three case reports and review of the literature *D. Turnbull and G. H. Mills*

Forum
988 A survey of pre-operative optimisation of high-risk surgical patients undergoing major elective surgery *S. Singh and M. Manji*
990 Oral midazolam premedication for day case breast surgery, a randomised prospective double-blind placebo-controlled study *M. S. Abdul-Latif, A. J. Putland, A. McCluskey, D. P. Meadows and S. A. M. Remington*
995 Tracking the early acquisition of skills by trainees *M. J. Harrison*
999 Effect of nitrous oxide on the bispectral index and the 95% spectral edge frequency of the electroencephalogram during surgery *P. Hans, V. Bonhomme, H. Benmansour, P. Y. Dewandre, J. F. Brichant and M. Lamy*

Correspondence
1003 An audit of audit and continued educational and professional development *S. M. White and C. Osmer*
1004 Secondary transfer of intensive care patients by helicopter *A. Bristow*
1005 The unfasted elective patient *D. R. Ball and P. Jefferson*
I. Taylor and M. Watters
1006 Anaesthesia induction rooms – sheer luxury! *R. J. Sawyer*
1006 Anaesthetic machine checklists *C. Williams and C. Diaz-Navarro*
R. Sanders
P. Bhargava and T. Dexter

© 2001 Blackwell Science Ltd

R. J. S. Birks
1008 Checking the anaesthetic machine: a useful parallel in aviation safety *P. J. Shirley and D. G. Pogson*
1009 An uncommon cause of vaporiser failure *P. M. Fernando and D. J. Peck*
1010 The ProSeal Laryngeal Mask Airway *D. J. Dalgleish and M. Dolgner*
1010 Airway management device (AMD) *M. J. O'Neil N. G. Mandal*
1011 Short nasal tracheal tubes *P. M. Rolfe and G. L. Barker G. Bertaggia and M. Vannier*
1012 Orthodontic appliances and insertion of the laryngeal mask airway *K. Aoyama, E. Yasunaga and I. Takenaka*
1013 Protective effects of acidosis *J. G. Laffey D. Story, S. Poustie and R. Bellomo*
1014 The use of central venous cannulae in neuroanaesthesia *A. Guha S. Mills and A. Tomlinson*
1015 The effects of diathermy on haemodynamic stability in phaeochromocytoma *G. Akçay, M. N. Akçay and H. A. Alici*
1016 Pain on injection with propofol *S. Gupta, A. Ravalia and H. R. Jonnada*
1016 Persistent cough following target-controlled infusion (TCI) with propofol *E. E. Aly*
1016 Unrecognised fatal anaphylactic reaction to propofol or fentanyl *Y. Girgis W. Konarzewski and S. De'Ath*
1017 Can propofol cause keratitis? *H. Ameen*
1018 Systemic spread of vecuronium following use in peribulbar regional anaesthesia *T. W. B. Allan*
1019 Huntingdonis chorea: use of rocuronium *G. Kulemeka and C. Mendonca*
1019 Sevoflurane in acute intermittent porphyria *V. Perkins, D.R. Ball and P. Jefferson P. R. Evans, S. Graham and C. M. Kumar*
1020 A sensitive anaesthetist? *A. Tillyard*
1020 Anaesthesia in an unusual location *W. Ali and J. Pateman*
1021 A national survey of epidural practice *L. Bannon, M. Alexander-Williams and D. Lutman*
1021 Combinations of opioids for epidural analgesia *P. Lee*
1022 Misconnection misadventure *A. Hutton and I. Christie*
1023 Luer-lock epidural connections *A. Moriarty, A. Liley and N. Llewellyn*
1023 Hip flexion for lumbar puncture – not easy in obstetric practice *F. Plaat and L. McCready-Hall*
1024 Paraesthesia during spinal needle placement *G. Samsoon and K. Grewal*
1024 Abdominal field block: a new approach via the lumbar triangle *A. N. Rafi*
1026 EMLA or Ametop, and for how long? *M. R. Nott*
1027 EMLA – 1-h is not enough for venous cannulation *B. M. Biccard*
1028 Unexpected benefit from 'recovery' positioning *S. Kannan and S. Patel*
1028 A risk associated with the shared airway in reconstructive palate surgery *M. X. Clark, D. T. Knights and M. Henley*
1028 Pre-oxygenation: silence the flush *S. Robinson and W. F. S. Sellers*
1029 Paternal pulse oximetry *V. Perkins*

Number 11, November 2001

Editorial
1031 The real cost of pain management *C. J. Phillips*

Main articles
1034 The effect of cardiac output changes on end-expired volatile anaesthetic concentrations – a theoretical study *R. R. Kennedy and A. B. Baker*
1041 The influence of intraperitoneal bupivacaine on pain following major laparoscopic gynaecological procedures *I. C. Shaw, J. Stevens and S. Krishnamurthy*
1045 Post-tonsillectomy pain: a prospective, randomised and double-blinded study to compare an ultrasonically activated scalpel technique to the blunt dissection technique *E. I. Akural, P. T. Koivunen, H. Teppo, S. M. Alahuhta and H. J. Löppönen*
1051 Myocardial ischaemia in normal patients undergoing elective Caesarean section: a peripartum assessment *C. Moran, M. Ni Bhuinneain, M. Geary, S. Cunningham, P. McKenna and J. Gardiner*

Review article
1059 Pharmacological actions and therapeutic uses of cannabis and cannabinoids *R. N. Kumar, W. A. Chambers and R. G. Pertwee*

Apparatus
1069 Presence of protein deposits on 'cleaned' re-usable anaesthetic equipment *D. M. Miller, I. Youkhana, W. U. Karunaratne and A. Pearce*
1073 Evaluation of the Pneupac Ventipac portable ventilator in critically ill patients *A. McCluskey, C. L. Gwinnutt, L. Hardy, R. Haslett, B. Bowles and R. Kishen*

Case reports
1082 Total intravenous anaesthesia in a patient with familial hypokalaemic periodic paralysis *C. Hofer, M. P. Zalunardo and A. Zollinger*
1085 Use of methoxamine in the resuscitation of epinephrine-resistant electromechanical dissociation *M. E. McBrien, D. S. Breslin, S. Atkinson and J. R. Johnston*

Forum
1090 Rapid sequence induction: a national survey of practice *J. Morris and T. M. Cook*
1097 Computerised dynamic posturography to assess recovery comparing general anaesthesia with sedation and local anaesthesia for day case nasal surgery *R. Makker, P. Bailey, R. Royston and E. Kulinskaya*
1103 Monitoring of irrigation fluid absorption during percutaneous nephrolithotripsy: the use of 1% ethanol as a marker *S. K. Malhotra, A. Khaitan, A. K. Goswami, K. D. Gill and A. Dutta*
1106 Patient-controlled pethidine after major upper abdominal surgery: comparison of the epidural and intravenous routes *P. P. Chen, E. W. Cheam, M. Ma, K. K. Lam, W. D. Ngan Kee and T. Gin*

© 2001 Blackwell Science Ltd

1112 Obesity and day case surgery *K. E. Davies, K. Houghton and J. E. Montgomery*

Correspondence

1116 Standards for filters *A. R. Wilkes and J. Stevens*
F. Leynadier
1117 Standards and targets *J. A. Lack*
1117 Helicopter retrievals in Australia *A. Mellor*
1117 Pre-operative visits by anaesthetists *N. K. Mann and D. J. Emmens*
1118 Intra-operative suggestions and depth of hypnosis *M. Sanders*
M. O'Connor, P. Warwick, C. Van Hamel, P. Dawson and D. Wilkinson
1119 How invasive should one be? *G. Thind*
1119 A new APL valve hazard *N. J. N. Harper*
R. Sanders
1120 Basal oxygen flow *A. P. J. Lake*
1120 Is your bougie helping or hindering you? *D. Surendra Kumar and G. Jones*
1121 Difficulties with placement of disposable laryngeal mask airways *A. M. Holtham and M. K. Weaver*
1122 An evaluation of the Airway Management Device *R. V. Johnson*
1122 Broken tracheal tube connector *S. Snyders*
G. Bertaggia
1123 Confirmation of placement of fine-bore nasogastric tubes *N. A. White*
1123 Extending the oesophageal Doppler into the peri-operative period *N. Levy*
1124 Hallucinations related to artificial ventilation in the prone position *J. G. Hudsmith and V. U. Navapurkar*
1125 Anaesthesia for non-cardiac surgery in a patient with absent right pulmonary artery *K. Barkshire, M. Hodge and J. J. Pandit*
1126 A retained surgical swab *T. Hucker, B. Schaeffer, H. Wakeling and D. Parr*
1127 A technique to reduce airway risk in patients undergoing maxillofacial surgery *C. Hughes, C. Johnson and G. Irvine*
1128 Unrecognised anaphylaxis to propofol or fentanyl *S. Lewis and P. Simpson*
1129 Midazolam for treatment of postoperative nausea *J. C. Watts and A. Brierley*
1129 A simple technique to reduce the incidence of accidental dural puncture *F. Reynolds*
1129 Continuous peripheral nerve infusion: a follow-up study *I. D. B. Sutherland*
1130 An epidural plasmocytoma as an unusual cause of a postoperative epidural mass *M. E. Stocker and D. Snow*

1131 **Book reviews**

Number 12, December 2001

Editorial

1133 Activated protein C: the cure for sepsis – again? *T. Hoth and T. W. Evans*

Main articles

1136 Seasonal variation in admission rates to intensive care units *M. Garfield, S. Ridley, A. Kong, A. Burns, M. Blunt and K. Gunning*
1141 Mortality associated with anaesthesia: a qualitative analysis to identify risk factors *M. S. Arbous, D. E. Grobbee, J. W. van Kleef, J. J. de Lange, H. H. A. J. M. Spoormans, P. Touw, F. M. Werner and A. E. E. Meursing*
1154 Cerebral and regional organ perfusion in pigs during xenon anaesthesia *M. Schmidt, T. Marx, J. Kotzerke, S. Ldenwald, S. Armbruster, P. Topalidis, U. Schirmer and H. Reinelt*
1160 Evaluation of diagonal earlobe crease as a marker of coronary artery disease: the use of this sign in pre-operative assessment *M. Kuri, Y. Hayashi, K. Kagawa, K. Takada, T. Kamibayashi and T. Mashimo*
1163 The effect of an infusion of esmolol on the incidence of myocardial ischaemia during tracheal extubation following coronary artery surgery *S. M. Kurian, R. Evans, N. O. Fernandes and K. M. Sherry*
1169 Parturient-controlled epidural analgesia during labour: bupivacaine vs. ropivacaine *N. P. Chua, A. T. Sia and C. E. Ocampo*

Apparatus

1174 Motor block in regional anaesthesia. Quantification by muscle strength at the ankle joint *N. Haslam, M. Broadhurst and J. Duggan*

Case report

1178 Poisoning due to Abrus precatorius (jequirity bean) *C. Fernando*

Forum

1181 The effect of posture on cerebral oxygenation during abdominal surgery *G. R. Harrison*
1184 Somatic paravertebral nerve blockade. Incidence of failed block and complications *Z. Naja and P-A. Lnnqvist*
1189 Comparison of continuous epidural infusion of ropivacaine and sufentanil with intravenous patient-controlled analgesia after total hip replacement *S. Kampe, G. Randebrock, P. Kiencke, U. Hnseler, K. Cranfield, D. P. Knig and C. Diefenbach*
1193 Adenotonsillectomy in children: a comparison of morphine and fentanyl for peri-operative analgesia *K. Mukherjee, V. Esuvaranathan, C. Streets, A. Johnson and A. S. Carr*
1198 Prediction of prolonged laryngoscopy *M. Saghaei and M. R. Safavi*

Obituary

1202 Patrick David Wall FRS, DM, FRCP. Honorary Member AAGBI, 1925–2001 *E. Charlton*

Correspondence

1203 Collaborative infection control policies for anaesthetic equipment are needed *T. A. King and R. P. D Cooke*
P. G. M. Wallace
1204 Risk perception and communication: informed consent *A. J. P. Lake*

© 2001 Blackwell Science Ltd

1204 Emergency surgery in the NHS *P. Johnston, A. Williamson and M. Radford*
1205 The rule of three *J. Kurian, V. Raghavan and P. Shetty*
1205 Oxygen or air? *N. Arepalli and N. Jones*
1205 Interchangeable oxygen and air connectors *A. N. Thomas, W. Hurst and B. Saha*
1206 The Intubating Laryngeal Mask Airway as a guide to fibreoscopy *R. Abraham, C. Verghese and A. I. J. Brain*
1206 The Airway Management Device; is it not similar to the Combitube *A. Mallick*
1207 An alternative technique for retrograde intubation *R. Mahajan, Y. Sandhya and P. Chari*
1208 Why KY? *P. Young and M. Blunt*
1209 Use of stylets in paediatric tracheal intubation *S. A. Townley*
1209 Vagal nerve stimulators and anaesthesia: 1 *E. Aziz and J. J. Radcliffe*
1210 Vagal nerve stimulators and anaesthesia: 2 *R. Dardis, R. Selway, M. Koutromanidis and C. E. Polkey*
1210 Obtaining a full medical history *J. Stone*
1211 Diagnosing epidural haematomas *S. Crowe*
1211 The separate needle is superior to the needle-through-needle technique for combined spinal epidural anaesthesia *T. M. Cook*
1212 Placing the epidural catheter before intrathecal injection during combined spinal epidural anaesthesia *P. Evans*
1213 Intralingual succinylcholine injection provides a rapid onset of muscle relaxation in an emergency *N. A. Wisely and R. Mayall*
1213 Anaesthetic drug information leaflets – for the patient or for the doctor? *O. Bamgbade*
1214 Storage of thiopental *E. M. Hart and W. L. Doherty*
1214 Information on codeine *G. Bell*
1215 A defect in disposable equipment *M. McDermott and O. R. Dearlove*
1215 Anaesthetic management for a patient with WAGR syndrome *F. Yanagidate, S. Dohi and A. Iizawa*
1216 Tackling rare syndromes *A. G. Hamilton*

1217 **Book reviews**

1219 **Deaths of members reported to Council October 2000 to September 2001**

1220 **Author/keyword indexes**

© 2001 Blackwell Science Ltd